

BOOKBINDING AND CONVERTING	PHOTOS
<p>Metal edge container</p> <p>MEFCO</p> <p>Used for the production of solid board thick carton boxes with metal edge stripes for the usage of heavy metal parts, automobile parts, industrial parts packing.</p>	<p>https://www.machineseekeer.com/mefco-lr/i-4365712</p>
<p>Sheet to sheet flute laminator</p> <p>STOCK 1250</p> <p>Automatic sheet laminator, Size 125x125 max, Size 35x50 min Speed 5.500 sph. Continuous glue feeding, Mirus sheet feeder</p>	<p>https://www.machineseekeer.com/stock+maschinenbau-13456%2F1250/i-4365685</p>
<p>Special purpose laminator, paper to paper, board, wood.</p> <p>PRAKMA</p> <p>Semi automatic laminating machine. Max width 100 cm, Max lenght 140 cm. Water based Min thickness of material, paper, wood, PVC or other 0.08mm Max thickness of material, paper, board, corrugated of other 80mm Front lay stoppage of already glue applied paper in order top sheet to be placed. Delivery belt with pressure cylinder Suitable for one or two sides lamination on thin & thick materials</p>	<p>https://www.machineseekeer.com/prakma-1000/i-4365681</p>
<p>Ribbon Inserter</p> <p>KOLBUS LE421</p> <p>Can in put 2 ribbons on one pass Can work on line or off line, can connect to any hard cover line.</p>	<p>https://www.machineseekeer.com/kolbus-le421/i-4001902</p>
<p>Perfect binder</p> <p>MULLER MARTINI PANDA</p> <p>9 clamps, on line with Muller Martini 3KT, Muller Martini book stacker</p>	<p>https://www.machineseekeer.com/muller+martini-panda/i-4001827</p>

<p>UV High Gloss varnishing machine</p> <p>STEINEMANN UVIMAT COMPACT 86</p> <p>UV HIGH GLOSS VARNISHING MACHINE Mirus sheet feeder with preloader Mirus stacker</p> <p>Heated calendar for powder removal Exhaust pipes in calander and UV lamps 3 UV lamps Max sheet size 860 x 1150mm Min sheet size 220 x 280mm Sheet weight Min 80 gsm Sheet weight Max 600gsm Speed 8,000sph</p>	<p>https://www.machineseekeer.com/steinemann-uvimat86/i-4307795</p>
<p>Water based film laminator with separator</p> <p>AUTOBOND MF 76 & AUTOBOND SHEETMASTER 76</p> <p>suitable for gloss, mat or metallized manual feeding, max size 76x110cm 20 meters / minute, 5 trolleys</p>	<p>https://www.machineseekeer.com/autobond-mf76/i-4001919</p>
<p>Water based film laminator</p> <p>AUTOBOND MF 65</p> <p>suitable for gloss, mat or metallized manual feeding, max size 65x110cm 20 meters / minute, 5 trolleys</p>	<p>https://www.machineseekeer.com/autobond-mf65/i-4001926</p>
<p>Sheet collator with folding station</p> <p>MAXIMA OBSCURA</p> <p>9 stations, Size 50x70, 2 folding knives for folding, can collate and fold up to 36 pages newspaper</p>	<p>https://www.machineseekeer.com/maxima+obscura-50x70/i-4003612</p>

[Πληκτρολογήστε κείμενο]

<p>Special purpose PE to paper – triple production</p> <p>RAF 800</p> <p>Machine designed for the lamination of paper with PE film. It can work with 3 roll of paper & 3 rolls of film on the same time and it laminates all 3 simultaneously.</p> <p>After lamination there is sheeting station. Every rotation of the cutting unit there are 3 laminated sheets produced</p> <p>Maximum width of roll 800mm Suitable for PE film lamination for the production of paper suitable for - meat and cheese production - table covers for restaurants - other wrapping papers</p>	<p>https://www.machineseeke.com/raf-800/i-4338639</p>
<p>Sheeter</p> <p>JAGENBERG</p> <p>Max width 1300 mm, 2 reel stands suitable for paper range 40 - 350 gsm Delivery stacker. 2 spare knives</p>	<p>https://www.machineseeke.com/jagenberg-1300/i-4347921</p>
<p>Sheeter</p> <p>DALBO 1300</p> <p>Sheeter for paper, board, 2ply corrugated Max width roll 1300mm, Min width roll 200 Max cutting length 1400mm, Min cut length 100mm Table delivery, 100mm core</p>	<p>https://www.machineseeke.com/dalbo-1300/i-4338635</p>
<p>Slitter rewinder</p> <p>DALBO 1100</p> <p>Max roll width 1100, min roll width 80mm, min cutting width 25mm</p>	<p>https://www.machineseeke.com/dalbo-1100/i-4338638</p>

[Πληκτρολογήστε κείμενο]

<p>Slitter rewinder</p> <p>JAGENBERG 2400</p> <p>Paper & carton slitter rewinder Max width 2400mm, 5 pneumatic knives, 4 mechanical</p>	<p>https://www.machineseekeer.com/jagenberg-2400/i-4338637</p>
<p>Solventless reel & sheet film laminator</p> <p>BIELLONI JULIA</p> <p>Reel to Reel operation & Sheet to sheet operation Age 2000, 1st user only Sheet feeder, Sheet separator Max sheet size 100x140, Min sheet size 35x40 Suitable for OPP, BOPP, metalized, mat, gloss film 2-4 grams/sq.mt glue consumption, Speed to 100 mtrs/min Powder removal, Self positioning of film Banana Roller, Suitable for thermal film lamination Slitter rewinder for waste film</p>	<p>https://www.machineseekeer.com/bielloni-julia/i-4350014</p>
<p>Solventless film laminator</p> <p>BIELLONI CLEO</p> <p>Sheet to sheet operation. Age 2001, 1st user only Sheet feeder, Sheet separator Max sheet size 76x100, Min sheet size 25x35 Suitable for OPP, BOPP, metalized, mat, gloss film 2-4 grams/sq.mt glue consumption Speed to 100 mtrs/min, Powder removal Self positioning of film, Banana Roller Suitable for thermal film lamination Slitter rewinder for waste film</p>	<p>https://www.machineseekeer.com/bielloni-cleo/i-4350012</p>

<p>Reel to reel water based laminator RAF 1000 Maximum reel width 1300mm, minimum reel width 300mm Maximum glue roll width 1200mm, 10,15,30 cores Hydraulic reel stand with magnetic brake, Hydraulic rewinder Max diameter of roll 1500mm, Water based glue Film unwidner, Suitable for paper and cardboard Speed 150 mtrs/min</p>	<p>https://www.machineseeke.com/raf1000-1250/i-4347911</p>
<p>DIE CUTTERS & GLUERS</p>	<p>PHOTOS</p>
<p>Die cutter BOBST SP1575 EEG Age 1977 Continuous feeder for corrugated Stripping. Non stop delivery Corrugated Board: 11 mm Cardboard (Carton) min.: 1mm Speed: 4500 sheets/h Max. paper size: 1575 mm – 1055 mm Min. paper size: 600 mm – 480 mm</p>	<p>https://www.machineseeke.com/bobst-eeg+1575/i-4001878</p>
<p>Die cutter BOBST SP 102 CER 250T Year 1988 85'000 running hours Dim. max 1020 x 720 mm Dim. min 400 x 350 mm Max. speed 8'000 sheets/hour Manual non-stop feeder 1 pull site lay mark o.s. and 1 push lay mark o.o.s 2 cutting chases and 1 cutting plate Micro metric system, Centerline Stripping section with: 1 set of frame (quick lock) and 1 set of standard frame with tools Blanking section with: 1 upper frame and 3 lower frames with tool Non-stop delivery, Oil conditioner Automatic pallet changing system</p>	<p>Please request by e mail</p>

[Πληκτρολογήστε κείμενο]

<p>Die cutter</p> <p>HEIDELBERG VARIMATRIX 105 CS die cutting machine</p> <p>Year 2006</p> <p>13'176 running hours</p> <p>Sheet size max. 750 x 1050 mm</p> <p>Sheet size min. 370 x 400 mm</p> <p>Max. speed 7.500 sheets/hour</p> <p>Max. pile height feeder 1000 mm</p> <p>Man. pile height delivery 1200 mm</p> <p>Max. cutting pressure 300 tons</p> <p>Material weights min. 80 g/m², max.1.400 g/m²</p> <p>Manual non-stop feeder</p> <p>2 cutting chases</p> <p>2 cutting plates</p> <p>2 set of stripping frames with tools</p> <p>Non-Stop delivery</p> <p>Pre make ready table</p>	<p>Please request by e mail</p>
<p>Die cutter</p> <p>BOBST SP 102 SE</p> <p>Year 1998</p> <p>42.000 running hours</p> <p>Dim. max 1020 x 720 mm</p> <p>Dim. min 400 x 350 mm</p> <p>Max. speed 7'500 sheets/hour</p> <p>Manual non-stop feeder</p> <p>1 pull site lay mark o.s. and 1 push lay mark o.o.s</p> <p>2 cutting chases and 1 cutting plate</p> <p>Micro metric system</p> <p>Centerline</p> <p>Stripping section</p>	<p>Please request by e mail</p>

<p>Die cutter</p> <p>TMZ 5002</p> <p>max sheet size 65X92, min sheet size 32x32, max thickness in solid 3mm, max thickness in corrugated 6mm gripper margin 9.5mm, speed 5.000 sph height of pile feeder 105cm, height of delivery pile 80cm cutting force 150 tn</p>	<p>https://www.machineseeker.com/tmz-5002/i-4141766</p>
<p>Die cutter</p> <p>ML1040</p> <p>Hand fed platen, size 74x104</p>	<p>Please request by e mail</p>
<p>Die cutter</p> <p>CANDOSSI FOSSATI</p> <p>Hand fed platen, size 83x120</p>	<p>Please request by e mail</p>
<p>Die cutter</p> <p>MING WHEI</p> <p>Hand fed platen, size 95x133</p>	<p>Please request by e mail</p>
<p>Slitter & scorer</p> <p>FOSSALUZZA</p> <p>200cm width</p>	<p>Please request by e mail</p>
<p>Slitter & scorer</p> <p>JURINE</p> <p>240cm width</p>	<p>Please request by e mail</p>

[Πληκτρολογήστε κείμενο]

<p>Partition slotter</p> <p>JURINE</p>	<p>Please request by e mail</p>
<p>Carton gluer</p> <p>DELUXE BOSTICH</p> <p>200cm, straight line, specially made for 3.5.7 ply carton boxes.</p>	<p>Please request by e mail</p>
<p>Tray forming</p> <p>INPACK EMOLA</p> <p>Machine for forming agricultural trays for fruits and vegetables.</p>	<p>Please request by e mail</p>
PRINTING PRESSES	PHOTOS
<p>Sheet fed offset press</p> <p>MAN ROLAND 705</p> <p>Year 2003 Colors: 5 colors / straight machine Speed: 13.000 s/h max. Counter: 156 mill</p> <ul style="list-style-type: none"> • Rolandmatic • PPL • CCI - densitometric quality control • Technotrans cooling • Powder spray • IR dryer 	<p>Please request by e mail</p>

<p>Sheet fed offset press</p> <p>MAN ROLAND 704 L</p> <p>Year 2000 Colors 4 + coater / straight machine Speed 13.000 s/h Counter 113 mill</p> <ul style="list-style-type: none">• Rolandmatic• PPL• CCI - densitometric quality control• Technotrans cooling• Powder spray• IR dryer• Auto wash ups• One owner• CIP	<p>Please request by e mail</p>
<p>Sheet fed offset press</p> <p>MAN ROLAND 604 EB</p> <p>Year : 1990 Format: 72 x 102 cm Colors: 4 colors / straight machine Speed: 13.000 s/h max. Counter: 97 mio. approx.. Serie: 647</p> <ul style="list-style-type: none">• Rolandmatic dampening with 2 x MC Kinley roller• RCI with lineal sliders (metal)• CCI - densitometric quality control• Air drums• Quick action clamps• Edelmann cooling• Powder sprayer WEKO T 77C• IR dryer	<p>https://www.machineseeke.com/man+roland-604+3b/i-4141764</p>

<p>Sheet fed offset press</p> <p>MAN ROLAND 704 3B</p> <p>Year 1994 Format 74x104 Colors 4 / straight machine 202 mill imp •Straight machine •Rolandmatic •CCI •QAPC •Very good condition •Technotrans •Series 707</p>	<p>https://www.machineseekeer.com/man+roland-704+3b/i-4121231</p>
<p>Sheet fed offset press</p> <p>HEIDELBERG 102 - 5 L</p> <p>Year 1995 Format 72x102 •Perfecting 2/3 •Dedicated coating tower •CPC 1.04 •Autoplate •IR dryer •165 mill imp</p>	<p>Please request by e mail</p>
<p>Letterpress label press</p> <p>LABELMAN KOPACK PW260WR</p> <p>Central drum label machine, 250mm, full UV dryers, Rotary die cutter with magnetic cylinder, flat bed die cutter, tension control, Position control Several magnetic and printing cylinders.</p>	<p>https://www.machineseekeer.com/kopack-labelmen+pw260r/i-4008757</p>

<p>Silk screen printing press</p> <p>SAKURAI SC102</p> <p>Automatic feeder, cylinder print unit, front and side lays, Trumax dryers Sheet delivery, Size 72x102, Suitable for print, scratch, blister. 2 lamps operating at 50 & 100%, frame machine for lighting washing tray for frames, 20 aluminum frames for repeats</p>	<p>https://www.machineseekeer.com/sakurai-m/i-4121707</p>
<p>Silk screen printing pess</p> <p>SVECIA SCY</p> <p>Max sheet size 126x900, Min sheet size 35x50, Range 80-600 gsm Speed 3.500 sph, 1 x HTB sheet feeder 1 x Svecia drum print unit with side and front lays 2 lamps UV, original Svecia lamps SHJD UV-CP 2 x warm air dryers, Svecia, up to 160 C 1 x ChallengAir chiller placed after UV dryers 1 x Sheet stacker Svecia 1 x lamps for image transfer 15 x aluminium frames</p> <p>On this machine is possible to make</p> <ul style="list-style-type: none"> - UV printing - UV coating - UV spot coating - Print heat transfer inks - Print with Plastisoll inks - Scratch applications - Silicon applications - Sealing or waterproof coatings up to KIT 12 	<p>https://www.machineseekeer.com/svecia-120/i-4307952</p>
<p>Printer slotter</p> <p>UNIMANN 2500</p> <p>Two color flexo printer, automatic slotter, Rotary die cutter, stacker. Size 120x250, Machine for carton boxes and pizza boxes</p>	<p>https://www.machineseekeer.com/uniman-2500/i-4001809</p>

[Πληκτρολογήστε κείμενο]

[Πληκτρολογήστε κείμενο]